

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940

FILEEDITPROJECTPREFERENCESVIEWSETTINGS

BackNextSwap ViewUndoRedoPosition Comment TextFunctionsSave InputCancel Input of ElementsFinish Position

Element TemplateLike other positionFree Input

Ορίζουμε το πλέγμα

GRID INPUT

Number of Fields in Width:2Maximum 99 Fields in Width


Number of Fields in Height:1Maximum 99 Fields in Height

OKCancel

GridElementAdditional ArticlesGlazingHardwareCNC-MachiningAdditional DataProject Centre

Head Offices | **8 Gogousi street, GR 564 29 Efkarpia, Thessaloniki** | T +30 2313 011000, F +30 2310 692473
Factory | **Kilkis Industrial Area, GR 611 00 Kilkis** | T +30 23410 79300, F +30 23410 71988
info@alumil.com | www.alumil.com

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940




Position Properties
Insertions
Individual Profile
Profile Properties
Frame
Mullions
Transom
Pitched/Curved Profiles
Insertion Data
Sash type/function
Internal Rail Setting
Profile Connections
Profile Extensions
Profile Splices
Profile Reset
Profile Alignment
Equal Rebate Dimension in Width
Equal Rebate Dimension in Height
Side Lights
Wall Connections
Wall Sections
Roller Shutters
Fly Screen
Shutter
U Value

EDIT ELEMENT

Grid Element Additional Articles Glazing Hardware CNC-Machining Additional Data Project Centre

INTERIOR VIEW ALUMIL SUPREME S77 & SD77 (ALUMINIUM)

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940



ΑΡΧΕΙΟ ΕΠΕΞΕΡΓΑΣΙΑ ΈΡΓΟ ΠΡΟΕΠΙΛΟΓΕΣ ΠΡΟΒΟΛΗ ΡΥΘΜΙΣΕΙΣ

Πίσω Εμπόδιση Αλλαγή Όψεως Αναίρεση Επαναφορά Σχόλιο Κατασκευής Λειτουργίες Αποθήκευση Εισαγωγής Διακοπή Εισαγωγής Στοιχείου

Ιδιότητες Κατασκευής
Τυπολογίες

Μεμονωμένα Προφίλ
Ιδιότητες Προφίλ
Χάρα
Σχολία
Σταθέρωση
Δοξάν/Καμπύλα Προφίλ
Δοξάνια Τυπολογίας
Λειτουργία/Τύπος Φυλλών
Εσωτερικά Ταρ

Συνδέσεις Προφίλ
Προεκτάσεις Προφίλ
Ματώσεις Προφίλ

Νέα επιλογή Προφίλ
Ζητήρηση
Ίδια Διάσταση Rebate στο Πλάτος
Ίδια Διάσταση Rebate στο Ύψος

Πλαϊνά Σταθερά
Συναρμωγές με Τσίχλα
Τομές Τσίχλας

Ρολά
Σίτες
Παντζούρια

U-Value

U-Value: $1.1 \text{ W/m}^2 \text{ K}$
Position Area: 2.00 m^2
Price: 589.04 EUR

Επιλογή Τυπολογίας

Εύρεση: Προφίλ Αντιστροφής για Υάλωση από Μέσα

Αντιστροφή Υάλωσης με Αντάπτορα

Δίφυλλο Παράθυρο Ανάκλιση-πριν-Ανοίγμα (TBT) DIN L
Δίφυλλο Παράθυρο Ανάκλιση-πριν-Ανοίγμα (TBT) DIN R
Δίφυλλο Παράθυρο Ανοίγιο-Ανακλινόμενο: DIN L
Δίφυλλο Παράθυρο Ανοίγιο-Ανακλινόμενο: DIN R
Δίφυλλο Παράθυρο Ανοίγιο-Ανακλινόμενο εξω: DIN L
Δίφυλλο Παράθυρο Ανοίγιο-Ανακλινόμενο εξω: DIN R
Δίφυλλο Παράθυρο Ανοίγιο-Ανακλινόμενο μέσα: DIN L
Δίφυλλο Παράθυρο Ανοίγιο-Ανακλινόμενο μέσα: DIN R

Κενή Πάρτα
Κενό Παράθυρο

Παράθυρο Ανάκλιση-πριν-Ανοίγμα (TBT) μέσα: DIN L
Παράθυρο Ανάκλιση-πριν-Ανοίγμα (TBT) μέσα: DIN R
Παράθυρο Ανάκλινο-μέσα: DIN L
Παράθυρο Ανάκλινο-μέσα: DIN R
Παράθυρο Ανοίγιο-Ανακλινόμενο μέσα: DIN L (A/A L)
Παράθυρο Ανοίγιο-Ανακλινόμενο μέσα: DIN R (A/A R)
Παράθυρο Ανοίγιο-Ανακλινόμενο εξω: DIN L (SHL)
Παράθυρο Ανοίγιο-Ανακλινόμενο εξω: DIN R (SHR)
Παράθυρο Ανοίγιο-Ανακλινόμενο μέσα: DIN L (SHL)
Παράθυρο Ανοίγιο-Ανακλινόμενο μέσα: DIN R (SHR)

Σταθερή Υ

Από Μέσα
Από Εξω

Πόρτες

Παράθυρο Συρόμ-Ανακλ (PSK) Φύλλο σιμωτάρι Αριστερά
Παράθυρο Συρόμ-Ανακλ (PSK) Φύλλο σιμωτάρι Δεξιά
Παράθυρο Φυσούνα ανοίγιο-Μέσα 2+1 Ανοίγιο-Ανακλ. DIN L
Παράθυρο Φυσούνα ανοίγιο-Μέσα 2+1 Ανοίγιο-Ανακλ. DIN R
Παράθυρο Φυσούνα ανοίγιο-Μέσα 2+2 DIN L
Παράθυρο Φυσούνα ανοίγιο-Μέσα 2+2 DIN R
Παράθυρο Πάνελ Εσωτερικής Υάλωσης

Προφίλ Αντιστροφής για Υάλωση από Μέσα
Πάρτα Δίφυλλο ανοίγιο-Εξω: DIN L
Πάρτα Δίφυλλο ανοίγιο-Εξω: DIN R

Σχέδιο

Στο δεύτερο πεδίο επιλέγουμε από το μενού:
Προφίλ αντιστροφής με υάλωση από μέσα

Πλάγια Στοιχείο Συμπληρωματικοί Κωδικοί Υάλωση Μηχανισμοί Κατασκευασία CNC Πρόσθετα Δεδομένα Προβολή Έργου

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940

FILE EDIT PROJECT PREFERENCES VIEW SETTINGS

Back Next Swap View Undo Redo Position Comment Text Functions Save Input Cancel Input of Elements Finish Position

Position Properties
Insertions
Individual Profile
Profile Properties
Frame
Mullions
Transom
Pitched/Curved Profiles
Insertion Data
Sash type/function
Internal Rail Setting
Profile Connections
Profile Extensions
Profile Splices
Profile Reset
Profile Alignment
Equal Rebate Dimension in Width
Equal Rebate Dimension in Height
Side Lights
Wall Connections
Wall Sections
Roller Shutters
Fly Screen
Shutter
U Value

EDIT PROFILES
Select a profile from the list and click on the button "OK".
By right clicking on a profile number other options will be displayed. You may also apply the filter function to find a particular profile number.
You can determine other options for single profiles by clicking the button "Properties".

Profile Selection

HINGED FRAME

Profiles	Bar Length	Deduction	Size
Flat			
S77070 HINGED FRAME WITH ARCHITRAVE	6500mm	26.0	76.0
S77076 HINGED FRAME	6500mm	46.0	71.0
S77092 HINGED FRAME WITH ARCHITRAVE	6500mm	36.0	61.0
S77508 HINGED FRAME	6500mm	26.0	51.0
S77510 HINGED FRAME	6500mm	36.0	61.0
S77514 HINGED FRAME	6500mm	46.0	71.0
S77516 HINGED FRAME	6500mm	36.0	61.0
S77562 HINGED "T" SYSTEM PROFILE	6500mm	26.0	76.0
S77564 HINGED "T" SYSTEM PROFILE	6500mm	36.0	86.0
S77568 HINGED "T" SYSTEM PROFILE	6500mm	106.0	156.0
S77570 HINGED "T" SYSTEM PROFILE	6500mm	156.0	206.0

OK Cancel

Grid Element Additional Articles Glazing Hardware CNC-Machining Additional Data Project Centre

INTERIOR VIEW ALUMIL SUPREME S77 & SD77 (ALUMINIUM) SQUARE (HORIZONTAL PASSING) HIGH

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940

FILE EDIT PROJECT PREFERENCES VIEW SETTINGS

Back Next Swap View Undo Redo Position Comment Text Functions Save Input Cancel Input of Elements Finish Position

Position Properties
Insertions
Individual Profile
Profile Properties
Frame
Mullions
Transom
Pitched/Curved Profiles
Insertion Data
Sash type/function
Internal Rail Setting
Profile Connections
Profile Extensions
Profile Splices
Profile Reset
Profile Alignment
Equal Rebate Dimension in Width
Equal Rebate Dimension in Height
Side Lights
Wall Connections
Wall Sections
Roller Shutters
Fly Screen
Shutter
U Value

EDIT PROFILES
Select a profile from the list and click on the button "OK".
By right clicking on a profile number other options will be displayed. You may also apply the filter function to find a particular profile number.
You can determine other options for single profiles by clicking the button "Properties".

Profile Selection

HINGED "T" SYSTEM PROFILE


Profiles	Bar Length	Deduction	Size
Flat			
S77562	6500mm	26.0	76.0
HINGED "T" SYSTEM PROFILE			
S77564	6500mm	36.0	86.0
HINGED "T" SYSTEM PROFILE			
S77568	6500mm	106.0	156.0
HINGED "T" SYSTEM PROFILE			
S77570	6500mm	156.0	206.0
HINGED "T" SYSTEM PROFILE			
S77770	6500mm	46.0	96.0
HINGED "T" SYSTEM PROFILE			
S77776	6500mm	46.0	96.0
HINGED "T" SYSTEM PROFILE			
S77874	6500mm	46.0	96.0
HINGED "T" SYSTEM PROFILE			
S77888	6500mm	88.0	138.0
HINGED "T" SYSTEM PROFILE			

OK Cancel

Grid Element Additional Articles Glazing Hardware CNC-Machining Additional Data Project Centre

INTERIOR VIEW ALUMIL SUPREME S77 & SD77 (ALUMINIUM) SQUARE (HORIZONTAL PASSING) HIGH

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940



The screenshot displays the Alumil software interface for configuring a window profile. The main window shows a technical drawing of a window frame with dimensions. A 'Sash' dialog box is open, displaying a list of profiles. A 'Profiles' dialog box is also open, showing a list of profiles with a red arrow pointing to the 'LM-Euro-Groove (15/20/4.5)' profile.

Profiles

Profiles	Bar Length	Deduction	Size
S77630	6500mm	58.8	86.8
HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE WINDOW PROFILE			
S77893	6500mm	79.1	107.1
HINGED SASH EUROPEAN GROOVE OPENING OUTSIDE DOOR PROFILE			

Επιλογή φύλλου


EDIT PROFILES

Select a profile from the list and click on the button "OK".
By right clicking on a profile number other options will be displayed. You may also apply the filter function. You can determine other options for single profiles by clicking the button "Properties".

Grid Element Additional Articles Glazing Hardware CNC-Machining Additional Data Project Centre

INTERIOR VIEW ALUMIL SUPREME S77 & SD77 (ALUMINIUM) SQUARE (HORIZONTAL PASSING) HIGH

Αντεστραμμένος αντάπτορας υάλωσης για εσωτερική υάλωση S77, M9400, M940



Grid [Element](#) [Additional Articles](#) [Glazing](#) [Hardware](#) [CNC-Machining](#) [Additional Data](#) [Project Centre](#)

INTERIOR VIEW ALUMIL SUPREME S77 & SD77 (ALUMINIUM) SQUARE (HORIZONTAL PASSING) HIGH